

Stripping tool - WIREFOX-D SHIELD - 1212172

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)




Stripping pliers, for removing jackets from cables for cable cutouts, cable tap-offs, and shield connections with a diameter of 8 - 9 mm diameter, insulation thickness of up to 1.2 mm, stripping lengths of 20 mm and above

Your advantages

WIREFOX ... stripping pliers feature an automatic adjustment mechanism for a wide range of different types of insulation and conductor diameters

Key Commercial Data

Packing unit	1 pc
GTIN	 4 046356 454308
GTIN	4046356454308
Weight per Piece (excluding packing)	145.500 g
Weight per piece (including packing)	145.500 g
Custom tariff number	82032000
Country of origin	Germany

Technical data

Dimensions

Length (b)	166 mm
Width (a)	25 mm
Height (c)	102 mm
Cable diameter	8 mm ... 9 mm
Stripping length	20 mm

General

Color	black
Weight	120 g
Min. cross section	16 mm ²
Max. cross section	25 mm ²

Environmental Product Compliance

California Proposition 65	Further information on California's prop. 65 is available under "Downloads" in the manufacturer's declaration
---------------------------	---

Stripping tool - WIREFOX-D SHIELD - 1212172

Classifications

eCl@ss

eCl@ss 10.0.1	21043706
eCl@ss 4.0	21040300
eCl@ss 4.1	21040300
eCl@ss 5.0	21040300
eCl@ss 5.1	21040300
eCl@ss 6.0	21043700
eCl@ss 7.0	21043706
eCl@ss 8.0	21043706
eCl@ss 9.0	21043706

ETIM

ETIM 2.0	EC001186
ETIM 3.0	EC001186
ETIM 4.0	EC000163
ETIM 5.0	EC000163
ETIM 6.0	EC002109
ETIM 7.0	EC002109

UNSPSC

UNSPSC 6.01	30211811
UNSPSC 7.0901	39121410
UNSPSC 11	39121410
UNSPSC 12.01	39121410
UNSPSC 13.2	27111518

Approvals

Approvals

Approvals

EAC

Ex Approvals

Approval details

EAC		RU x- DE.xx08.B.02974
-----	--	--------------------------

